

Fish Series



ÀTOM
CERAMIC
Since 2010

INSPIRED BY TRADITIONAL

Architecture



Luxurious Collection 2024, Vol-02

300x450mm

Ceramic Galze Wall Tiles



WATERPROOF



Available on the
Google play



: info@atomceramic.com



: www.atomceramic.com

Àtom

CERAMIC

Since 2010

300x450 mm
Wall Tiles

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

LT

HL 1

HL 2

DK



18197


Floor

Glossy Surface

Waterproof


P
l
a
i
n

LT




P
l
a
i
n

HL 3



P
l
a
i
n

DK



18197

Floor

ATOM

CERAMIC

Since 2010

300x450 mm
Wall Tiles

Glossy Surface

Waterproof

DK
(23768 G)

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

P
l
a
i
n

HL 1

HL 2

DK



18200

Floor

Glossy Surface

Waterproof

LT



P
l
a
i
n

HL 1



P
l
a
i
n

HL 2



P
l
a
i
n

DK



P
l
a
i
n

18244

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK
(23768 G)



18501-18188

Floor

Glossy Surface

Waterproof

LT

P
l
a
i
n

HL 1

P
l
a
i
n

HL 2

P
l
a
i
n

DK
(18506)

P
l
a
i
n



18508

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 3

HL 4

DK
(18506)



18508

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 2

HL 1

DK



18509

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 2

HL 1

DK



18510

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 3

HL 4

DK



18510

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

LT

HL 5

HL 6

DK



18510

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 7

HL 8

DK



18510

Floor

ATOM

CERAMIC

Since 2010

300x450 mm
Wall Tiles

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



18511

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



18512

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



18513

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

LT

HL 1

HL 2

DK



18514

Floor

ATOM

CERAMIC

Since 2010

300x450 mm
Wall Tiles

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

LT

HL 3

HL 4

DK



18514

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

LT

HL 3

HL 5

DK



18514

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

LT

HL 6

HL 7

DK



18514

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

LT

HL 1

HL 2

DK



18516

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



18517

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

LT

HL 1

HL 3

DK



18517

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


LT

HL 1

HL 2

HL 3

DK



18520

Floor

Glossy Surface

Waterproof

LT



P
l
a
i
n

HL 1



P
l
a
i
n

HL 2



P
l
a
i
n

DK



P
l
a
i
n

18521

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

LT

HL 1

HL 2

DK



18522

Floor

Glossy Surface

Waterproof

P
l
a
i
n


P
l
a
i
n

P
l
a
i
n

LT

HL 3

DK



18522

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



18523

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



18525

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



18529

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 3

HL 2

DK



18529

Floor

ATOM

CERAMIC

Since 2010

300x450 mm
Wall Tiles

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



18530

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



18532

Floor

Glossy Surface

Waterproof

LT



P
l
a
i
n

HL 1-2



P
l
a
i
n

HL 3-4



P
l
a
i
n

DK



P
l
a
i
n

18535

Floor

Glossy Surface

Waterproof

LT



P
l
a
i
n

HL 5-6



P
l
a
i
n

HL 7-8



P
l
a
i
n

DK



P
l
a
i
n

18535

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



18536

Floor

Glossy Surface

Waterproof

LT



P
l
a
i
n

HL 1-2




P
l
a
i
n

HL 3-4




P
l
a
i
n

HL 5-6



P
l
a
i
n

DK



P
l
a
i
n

18537

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

LT

HL 1

HL 2

DK



18539

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



18540

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



18541

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



21132

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

LT

HL 1

HL 2

HL 3

DK



23081

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



23082

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 3

HL 4

DK



23082

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 5

HL 6

DK



23082

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



23083

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



23084

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



23085

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



23086

Floor

Glossy Surface


Waterproof

LT





P
u
n
c
h

HL 1



P
u
n
c
h

HL 2



P
u
n
c
h

DK



P
u
n
c
h

23087

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



23088

Floor

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



24030

Floor

ATOM

CERAMIC

Since 2010



300x450 mm
Wall Tiles

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



24037

Floor

Àtom

CERAMIC

Since 2010

300x450 mm
Wall Tiles

Glossy Surface

Waterproof

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n


P
l
a
i
n

LT

HL 1

HL 2

DK



41090

Floor

Technical Specification

No.	Characteristics	WALL TILES ISO 13006 / EN - 14411 GROUP BIII	OUR VALUE
-----	-----------------	---	-----------

[A] DIMENSION & SURFACE QUALITY

01	Devation in Length & Width	$\pm 0.5\%$	$\pm 0.3\%$
02	Deviation in Thickness	$\pm 0.5\%$	$\pm 0.5\%$
03	Straightness of sides	$\pm 0.5\%$	$\pm 0.3\%$
04	Rectangularity	$\pm 0.6\%$	$\pm 0.5\%$
05	Surface Flatness	$\pm 0.5\%$	$\pm 0.3\%$
06	Surface Quality	MIn 95% of tiles should be free from visible defects	>95%

[B] PHYSICAL PROPERTIES

07	Water Absorption	$20\% > E > 10\%$	<16%
08	Modulus of Rupture	> 150 KG/Cm2	>180 Kg/Cm2 Avg.
09	Scratch hardness	Min 3 Mohs	> 3 Mohs
10	Crazing Resistance	1 Cycle	Passes 4 Cycles

[C] CHEMICAL PROPERTIES

11	Staining Resistance	Min Class 2	Resistance
12	Household Chemicals	Min Class B	Resistance
13	Scratch Resistance	Min 3	Min 3

[D] THERMAL properties

14	Thermal Shock Resistance	10 Cycles	Resistance
15	Thermal Expansion	$9 \times 10^{-6} - K^{-1} \text{ max}$	Conforms

PACKING DETAIL

SIZE	THICKNESS (Approx)	TILES PER BOX	WEIGHT (Approx)	COVERAGE AREA
300x450 mm	7.5 mm	6	10.0 Kg.	0.81 Sq. Mtr.
300x300 mm	7.5 mm	8	09.0 Kg.	0.72 Sq. Mtr.

Mfg. Of Ceramic Galze Wall Tiles —



ATOM CERAMIC
Survey Number-820 & 826,
Nr. Coral Gold Ceramic,
B/h Antique Granito, Lakhdhirpur Road,
8-A National Highway, Morbi-363642,
Taluka & District-Morbi, Gujarat, India.

info@atomceramic.com | www.atomceramic.com