

Glossy Kitchen
24000



ÀTOM
CERAMIC
Since 2010

INSPIRED BY TRADITIONAL

Architecture



Luxurious Collection 2024, Vol-02

300x450mm

Ceramic Galze Wall Tiles



WATERPROOF



Glossy Surface

Waterproof

LT



P
u
n
c
h

HL 1



P
u
n
c
h

HL 2



P
u
n
c
h

LT



P
u
n
c
h

24003

Glossy Surface

Waterproof

LT



P
u
n
c
h

HL 1



P
u
n
c
h

HL 2



P
u
n
c
h

LT





P
u
n
c
h

24004

Glossy Surface

Waterproof

LT



P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

HL 1



HL 2



DK




24029

Glossy Surface

Waterproof

LT



P
u
n
c
h

HL 1



P
u
n
c
h

HL 2



P
u
n
c
h

HL 3





P
u
n
c
h

24031

Glossy Surface

Waterproof

LT



P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n



HL 1



HL 2



LT



24034

Glossy Surface

Waterproof

LT



P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

HL 1



HL 2



HL 3





24036

Glossy Surface

Waterproof

LT



P
u
n
c
h

HL 1





P
u
n
c
h

HL 2



P
u
n
c
h

DK




P
u
n
c
h

24038

Glossy Surface

Waterproof

LT



P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

HL 1



HL 2



HL 3





24039

Glossy Surface

Waterproof

DK



P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

HL 1



HL 2





DK

24042

Glossy Surface

Waterproof

LT



P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n



HL 1



HL 2



LT





24043

Glossy Surface

Waterproof

LT



P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n



HL 1



HL 2



LT



24044

Glossy Surface

Waterproof

LT



P
u
n
c
h

HL 1




P
u
n
c
h

HL 2



P
u
n
c
h

LT




P
u
n
c
h

24045

Glossy Surface

Waterproof

LT



P
u
n
c
h

P
u
n
c
h

P
u
n
c
h

P
u
n
c
h



HL 3



HL 4



LT



24045

Glossy Surface

Waterproof

LT



P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

P
l
a
i
n

HL 1



HL 2



LT



24047

Technical Specification

No.	Characteristics	WALL TILES ISO 13006 / EN - 14411 GROUP BIII	OUR VALUE
-----	-----------------	---	-----------

[A] DIMENSION & SURFACE QUALITY

01	Devation in Length & Width	± 0.5%	± 0.3%
02	Deviation in Thickness	± 0.5%	± 0.5%
03	Straightness of sides	± 0.5%	± 0.3%
04	Rectangularity	± 0.6%	± 0.5%
05	Surface Flatness	± 0.5%	± 0.3%
06	Surface Quality	MIn 95% of tiles should be free from visible defects	>95%

[B] PHYSICAL PROPERTIES

07	Water Absorption	20% > E > 10%	<16%
08	Modulus of Rupture	> 150 KG/Cm2	>180 Kg/Cm2 Avg.
09	Scratch hardness	Min 3 Mohs	> 3 Mohs
10	Crazing Resistance	1 Cycle	Passes 4 Cycles

[C] CHEMICAL PROPERTIES

11	Staining Resistance	Min Class 2	Resistance
12	Household Chemicals	Min Class B	Resistance
13	Scratch Resistance	Min 3	Min 3

[D] THERMAL properties

14	Thermal Shock Resistance	10 Cycles	Resistance
15	Thermal Expansion	$9 \times 10^{-6} - K^{-1} \text{ max}$	Conforms

PACKING DETAIL

SIZE	THICKNESS (Approx)	TILES PER BOX	WEIGHT (Approx)	COVERAGE AREA
300x450 mm	7.5 mm	6	10.0 Kg.	0.81 Sq. Mtr.
300x300 mm	7.5 mm	8	09.0 Kg.	0.72 Sq. Mtr.

Mfg. Of Ceramic Galze Wall Tiles —



ATOM CERAMIC
Survey Number-820 & 826,
Nr. Coral Gold Ceramic,
B/h Antique Granito, Lakhdirpur Road,
8-A National Highway, Morbi-363642,
Taluka & District-Morbi, Gujarat, India.

info@atomceramic.com | www.atomceramic.com