

Mosaic Series



ÀTOM
CERAMIC
Since 2010

INSPIRED BY TRADITIONAL

Architecture



Luxurious Collection 2024, Vol-02

300x450mm

Ceramic Galze Wall Tiles



WATERPROOF



Glossy Surface

Waterproof

LT

P
u
n
c
h

P
u
n
c
h


P
u
n
c
h

P
u
n
c
h

HL 1

HL 2

HL 3




21029

Glossy Surface

Waterproof

LT




P
u
n
c
h

P
u
n
c
h


P
u
n
c
h

P
u
n
c
h


HL 4



HL 5



HL 6





21029

Glossy Surface



Waterproof

LT





P
u
n
c
h

HL 7





P
u
n
c
h

HL 8



P
u
n
c
h

HL 9





P
u
n
c
h

21029

Glossy Surface



Waterproof

LT





P
u
n
c
h

HL 10




P
u
n
c
h

HL 11



P
u
n
c
h

HL 12





P
u
n
c
h

21029

Glossy Surface



Waterproof

LT





P
u
n
c
h

HL 13



P
u
n
c
h

HL 14



P
u
n
c
h

HL 15





P
u
n
c
h

21029

Glossy Surface


Waterproof

LT





P
u
n
c
h

HL 16





P
u
n
c
h

HL 17



P
u
n
c
h

HL 18





P
u
n
c
h

21029

Glossy Surface



Waterproof

LT





P
u
n
c
h

HL 19





P
u
n
c
h

HL 20



P
u
n
c
h

HL 21





P
u
n
c
h

21029

Glossy Surface



Waterproof

LT





P
u
n
c
h

HL 22



P
u
n
c
h

HL 23



P
u
n
c
h

HL 24





P
u
n
c
h

21029

Glossy Surface

Waterproof

LT




P
u
n
c
h

HL 25





P
u
n
c
h

HL 26



P
u
n
c
h

HL 27





P
u
n
c
h

21029

Glossy Surface



Waterproof

LT





P
u
n
c
h

HL 28





P
u
n
c
h

HL 29



P
u
n
c
h

HL 30





P
u
n
c
h

21029

Glossy Surface



Waterproof

LT





P
u
n
c
h

HL 31





P
u
n
c
h

HL 32



P
u
n
c
h

HL 33





P
u
n
c
h

21029

Glossy Surface



Waterproof

LT





P
u
n
c
h

HL 34





P
u
n
c
h

HL 35



P
u
n
c
h

HL 36





P
u
n
c
h

21029

Glossy Surface



Waterproof

LT





P
u
n
c
h

HL 37





P
u
n
c
h

HL 38



P
u
n
c
h

HL 39





P
u
n
c
h

21029

Glossy Surface



Waterproof

LT





P
u
n
c
h

HL 40





P
u
n
c
h

HL 41



P
u
n
c
h

HL 42





P
u
n
c
h

21029

Glossy Surface



Waterproof

LT





P
u
n
c
h

HL 43





P
u
n
c
h

HL 44



P
u
n
c
h

HL 45





P
u
n
c
h

21029

Glossy Surface



Waterproof

LT





P
u
n
c
h

HL 46



P
u
n
c
h

HL 47



P
u
n
c
h

LT





P
u
n
c
h

21029



Glossy Surface

Waterproof

LT





P
u
n
c
h



P
u
n
c
h

HL 1




P
u
n
c
h

DK

24048

Glossy Surface


Waterproof



24049

Glossy Surface

Waterproof




24049



Glossy Surface

Waterproof

LT





P
u
n
c
h



P
u
n
c
h

HL 1



P
u
n
c
h

DK

24050

Technical Specification

No.	Characteristics	WALL TILES ISO 13006 / EN - 14411 GROUP BIII	OUR VALUE
-----	-----------------	---	-----------

[A] DIMENSION & SURFACE QUALITY

01	Devation in Length & Width	± 0.5%	± 0.3%
02	Deviation in Thickness	± 0.5%	± 0.5%
03	Straightness of sides	± 0.5%	± 0.3%
04	Rectangularity	± 0.6%	± 0.5%
05	Surface Flatness	± 0.5%	± 0.3%
06	Surface Quality	MIn 95% of tiles should be free from visible defects	>95%

[B] PHYSICAL PROPERTIES

07	Water Absorption	20% > E > 10%	<16%
08	Modulus of Rupture	> 150 KG/Cm2	>180 Kg/Cm2 Avg.
09	Scratch hardness	Min 3 Mohs	> 3 Mohs
10	Crazing Resistance	1 Cycle	Passes 4 Cycles

[C] CHEMICAL PROPERTIES

11	Staining Resistance	Min Class 2	Resistance
12	Household Chemicals	Min Class B	Resistance
13	Scratch Resistance	Min 3	Min 3

[D] THERMAL properties

14	Thermal Shock Resistance	10 Cycles	Resistance
15	Thermal Expansion	$9 \times 10^{-6} - K^{-1} \text{ max}$	Conforms

PACKING DETAIL

SIZE	THICKNESS (Approx)	TILES PER BOX	WEIGHT (Approx)	COVERAGE AREA
300x450 mm	7.5 mm	6	10.0 Kg.	0.81 Sq. Mtr.
300x300 mm	7.5 mm	8	09.0 Kg.	0.72 Sq. Mtr.

Mfg. Of Ceramic Galze Wall Tiles —

ÀTOM
CERAMIC

ATOM CERAMIC
Survey Number-820 & 826,
Nr. Coral Gold Ceramic,
B/h Antique Granito, Lakhdirpur Road,
8-A National Highway, Morbi-363642,
Taluka & District-Morbi, Gujarat, India.

info@atomceramic.com | www.atomceramic.com